Record Number: 175
File Name (TITLE): Letty, RE mice barograph.
Document Number (ID): 135147 DATE: $\frac{G}{1952}$ Previous Location (FROM): $C1C$ AUTHOR: $Q-COX$ Addditional Information:

OrMIbox: _//____ CyMIbox: _7____

SANDIA I Location <u>Rollet 1382</u> Ju Collection <u>Rollet 1382</u> Ju Folder <u>O-L TWY</u> <u>Clst + 2wD Foldee</u> Mr. George B. Olmsted AFOAT-1 1712 G Street, NW Washington, D. C. Dear George: Two happenings prompt this let thirteen microbarometric statt cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affor ments. Unfortunately, the Wi working so we have no cross-co It is my recollection that ap Al Focks or Jin Feoples told up in the Hawaiian Islands du standing that essentially all Eniwetok and sent to Oahu for	1763 A CONFORATION BASE, ALBUQUERQUE, N. M. Ine 2, 1952 Ref. Sym: 5110 (93) (135147) Stter: (a) Operation Ivy Project 6.6 (some tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Ton-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to a vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock beceived someplace. This new Wiancko gage is reater range on the high-pressure side. Nototype Wiancko instrument to install along arographs during the present test series in brided a cross-check between these two instru- tancko gage worked fine but the NEL gear stopped check as yet.
NS COMMISSION SNL SANDIA IN SANDIA	BASE, ALBUQUERQUE, N. M. Ref. Sym: 5110 (93) I 35147 Ref. Sym: 5110 (93) I 35147 I 35147
SNLSANDIA ILocationRoll# 1382JuCollectionGoll# 1382JuFolderGoll# 1382JuFolderGold RepJuIst + 2wD FoldeeMr. George B. Olmsted AFOAT-11712 G Street, NW Washington, D. C.Dear George:Two happenings prompt this let thirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micrThe primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much grWe had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affor ments. Unfortunately, the Wi working so we have no cross-cIt is my recollection that ap Al Focke or Jim Peoples told	BASE, ALBUQUERQUE, N. M. Ref. Sym: 5110 (93) I 35147 Ref. Sym: 5110 (93) I 35147 I 35147
Location	Ref. Sym: 5110 (93) 135147 Ref. Sym: 5110 (93) 135147 1351
FolderO-L TAY (15T + 2wD Folder)Mr. George B. Olmsted AFOAT-1 1712 G Street, NW Washington, D. C.Dear George:Two happenings prompt this let thirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micrThe primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much grWe had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affor ments. Unfortunately, the Wi working so we have no cross-of It is my recollection that ap Al Focke or Jim Peoples told	Ref. Sym: 5110 (93) 135147 1
(1st + JwD Folder.) Mr. George B. Olmsted AFOAT-1 1712 G Street, NW Washington, D. C. Dear George: Two happenings prompt this let thirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-of It is my recollection that ap Al Focke or Jin Peoples told	atter: (a) Operation Ivy Project 6.6 (some tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom. Wiancko in Pasadena. Durchasing this new type microbarograph from having sufficiently large dynamic range to a vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock exceived someplace. This new Wiancko gage is reater range on the high-pressure side.
 Mr. George B. Olmsted AFOAT-1 1712 G Street, NW Washington, D. C. Dear George: Two happenings prompt this lethirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told 	atter: (a) Operation Ivy Project 6.6 (some tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom. Wiancko in Pasadena. Durchasing this new type microbarograph from having sufficiently large dynamic range to a vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock exceived someplace. This new Wiancko gage is reater range on the high-pressure side.
AFOAT-1 1712 G Street, NW Washington, D. C. Dear George: Two happenings prompt this lethirteen microbarometric state cancelled by JTF 132 on the grand (b) Sandia has a new micror The primary purpose for our provide the state care of our needs in the like very much to have our rebig enough to do damage is resoupposed to have very much growth our borrowed NEL microban Nevada. This would have afforments. Unfortunately, the Wi working so we have no cross-constant of the second of th	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Dear George: Two happenings prompt this lethirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Dear George: Two happenings prompt this lethirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Dear George: Two happenings prompt this lethirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Two happenings prompt this let thirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
 thirteen microbarometric stat cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our rebig enough to do damage is resupposed to have very much gr We had hoped to obtain the prwith our borrowed NEL microba Nevada. This would have affoments. Unfortunately, the Wiworking so we have no cross-construction that ap Al Focke or Jim Peoples told 	tions within 2,000 km of Eniwetok) has been grounds of difficulty for logistic support; robarograph made by Tom-Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eccived someplace. This new Wiancko gage is reater range on the high-pressure side. cototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
 cancelled by JTF 132 on the g and (b) Sandia has a new micr The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our rebig enough to do damage is resupposed to have very much gr We had hoped to obtain the prwith our borrowed NEL microba Nevada. This would have afforments. Unfortunately, the Wiworking so we have no cross-construction that ap Al Focke or Jim Peoples told 	grounds of difficulty for logistic support; robarograph made by Tom, Wiancko in Pasadena. burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock ceeived someplace. This new Wiancko gage is reater range on the high-pressure side. rototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
The primary purpose for our p Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NBL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	burchasing this new type microbarograph from having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would becording pen stay on the paper when a shock eceived someplace. This new Wiancko gage is reater range on the high-pressure side. Tototype Wiancko instrument to install along arographs during the present test series in borded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Wiancko is to obtain a gage h take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	having sufficiently large dynamic range to e vicinity of the Nevada Test Site. We would ecording pen stay on the paper when a shock eceived someplace. This new Wiancko gage is reater range on the high-pressure side. Tototype Wiancko instrument to install along arographs during the present test series in brded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
take care of our needs in the like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	e vicinity of the Nevada Test Site. We would ecording pen stay on the paper when a shock eceived someplace. This new Wiancko gage is reater range on the high-pressure side. rototype Wiancko instrument to install along arographs during the present test series in orded a cross-check between these two instru- iancko gage worked fine but the NEL gear stopped
like very much to have our re big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	ecording pen stay on the paper when a shock eceived someplace. This new Wiancko gage is reater range on the high-pressure side. rototype Wiancko instrument to install along arographs during the present test series in orded a cross-check between these two instru- iancko gage worked fine but the NEL gear stopped
big enough to do damage is re supposed to have very much gr We had hoped to obtain the pr with our borrowed NBL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	eccived someplace. This new Wiancko gage is reater range on the high-pressure side. rototype Wiancko instrument to install along arographs during the present test series in brded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
We had hoped to obtain the pr with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	rototype Wiancko instrument to install along arographs during the present test series in orded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
with our borrowed NEL microba Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	arographs during the present test series in orded a cross-check between these two instru- lancko gage worked fine but the NEL gear stopped
Nevada. This would have affo ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	orded a cross-check between these two instru- Lancko gage worked fine but the NEL gear stopped
ments. Unfortunately, the Wi working so we have no cross-c It is my recollection that ap Al Focke or Jim Peoples told	ancko gage worked fine but the NEL gear stopped
It is my recollection that ap Al Focke or Jim Peoples told	check as yet.
Al Focke or Jim Peoples told	
Al Focke or Jim Peoples told	pproximately two or three months ago you and
up in the Hawaiian Islands du standing that essentially all Eniwetok and sent to Oahu for set up and operate one or two both the Mike and King shots	me that you would have a microbarograph set
Eniwetok and sent to Oahu for set up and operate one or two both the Mike and King shots	uring Operation Ivy. Since it is now our under- L of the Task Force will be evacuated from
both the Mike and King shots	r at least the Mike shot, we could certainly
D DOCH CHE MIKE AND KINK SHOCS	o of the Wiancko microbarographs on Oahu during
z o V [Nould therefore appreciate	learning from you in the near future:
	BEST AVAILABLE COPY
b. what kind of instru	ument or instruments will be employed;
c. what agency is inst	talling your equipment there (NEL, NOL, etc.);
-	THIS DOCUMENT CONSISTS OFPAGE(S)
TOMEN	NO. 2 OF 2 CAPPES PERIFS. A
HALL NI MILL	A WAR
100 755	CONTROL NO. Q CONTROL
mut i i i i i i i i i i i i i i i i i i i	
	378
	A9/

Mr. George B. Olmsted

- 2 --

Ref. Sym: 5110 (93)

1764

d. where on Oahu or adjacent island is the installation to be placed; and

e. can we agree in advance on a cross-check of instrumentation.

We would expect to use the re-broadcase of WWV for our time synchronization.

Yours cruly,

Everinal elevel by E. E. Cox EVERETT F. COX, Manager Weapon Effects Department

EFC:mja

Distr: 1/2a - G. B. Olmsted, AFOAT-1 2/2a - E. F. Cox, 5110

