

~~RESTRICTED DATA~~

~~RESTRICTED DATA~~

This document contains restricted data as defined in the Atomic Energy Act of 1954. Its transmittal or the disclosure of its contents in any manner to an unauthorized person is prohibited.

Case 520.0  
1098 Pg 18  
29

DEC 1 1952

Ref. Sym.: 5110 (99)

RG 326 US ATOMIC ENERGY COMMISSION

Location SNL Roll# 1382

Collection CENTRAL Tech. Files

Folder D-1 IVY  
(3RD Folder)

W. C. SCRIVNER - 5240

Re: Ivy Data Reduction

It is presently understood that Division 5242 is aware of the amount of data reduction required by Department 5230 and Division 5111 for information collected on Operation Ivy. It is also apparent that Division 5242 is presently burdened with a heavy work load.

There are certain portions of the Ivy data which should be assigned a high priority. In particular these are:

- (1) Pressure-time from King Shot-14 Channels;
- (2) Pressure-time from Mike Shot-22 Channels.

A slightly lesser priority is attached to:

- (3) Underwater-pressure-Mike Shot: 4 Channels;
- (4) Winds - King and Mike Shots: 52 Channels.

INVENT TRIED  
MAR 7 55  
402

There are in addition approximately 31 channels of temperature and acceleration. (There will be a few less channels than indicated.)

It is urgently requested that the pressure time data reduction be accomplished by the middle of December and that the remaining channels be processed by the first week in January, 1953.

BEST AVAILABLE COPY

AUTHORITY OF DOE/CG  
 Copy in diary  
 3/15/89

CDL No.	
ACCOUNTABILITY CARD	
FILE No.	<u>D-1 IVY</u>

Original signed by  
E. F. Cox  
E. F. COX - 5110

CENTRAL H & R CONTROL NO. Q 19595

BPM/ask

DISTRIBUTION:

- 1/BA - W. C. Scrivner - 5240
- 2/BA - G. A. Fowler - 5200
- 3/BA - H. Schutzberger - 5242
- 4/BA - H. E. Leonard - 5230
- 5/BA - R. S. Milligan - 5233
- 6/BA - James Scott - 5233
- 7/BA - George Reis - 5233
- 8/BA - B. P. Murphy - 5111

THIS DOCUMENT CONTAINS OF 1 PAGE(S)  
THE DOCUMENT IS... PAGE(S)  
NO. 4 OF 8 COPIES... A

SEP 30