NEW YORK UNIVERSITY MEDICAL CENTER

Institute of Environmental Medicine

550 FIRST AVENUE, NEW YORK, N.Y. 10016 AREA 212 679-3200 401618

ANTHONY J. LANZA RESEARCH LABORATORIES AT UNIVERSITY VALLEY LONG MEADOW ROAD, STERLING FOREST, TUXEDO, N.Y. MAIL AND TELEPHONE ADDRESS: 550 FIRST AVENUE, NEW YORK, N.Y. 10016

August 30, 1977

Dr. Robert A. Conard Medical Department Brookhaven National Laboratory Upton, New York 11973

Dear Bob:

My apologies for taking so long in sending you the results of our measurements of the ²³⁹Pu and ¹³⁷Cs body burdens of Ms. As you know, we measured Ms. on June 27, 1977 in our whole body counter here at New York University with detectors positioned to determine the possibility of lung and/or whole body contamination by photon-emitting radionuclides. Ms. told us that she spent eight months on Rongelap during the years 1975-1976, three months on Majuro and then nine additional months on Rongelap during 1976-1977. She is a Peace Corps volunteer and teaches elementary school on the atoll. She mentioned that she did swim in the lagoons "a bit" although this practice was generally forbidden to women. She lived in a plywood dwelling and ate rice, flour, fish, coconut meat and coconut crabs. She is 25 years old, does not smoke ("maybe occasionally") and has never had nuclear medical procedure involving the administration of any radionuclide.

All anthropometric parameters as measured at this laboratory are given in Table 1. Ms. was accompanied by Mr. and gave us two one-liter samples of urine collected a few days earlier for measurement of plutonium content.

For details of our in vivo counting geometries and lower limits of detection, I refer you to my letter of April 18, 1977 in which I give data on the measurement of Drs.

of Woods Hole, Massachusetts.

PRIVACY ACT MATERIAL REMOVED 13084

5011187

Results for Ms.

follow:

 137 Cs whole body = 45.2±0.4 nCi

^{2 4 1}Am thorax ^{2 3 9}Pu thorax <.15 nCi our MSMA < 25 nCi " "

²⁴¹Am head (skull) <.02 nCi " ²³⁹Pu head (skull) <5.0 nCi "

For all measurements, a control subject of the same sex and similar size was employed to verify the background of the counting systems.

Figures 1 and 2 (attached) give the gamma-ray, pulse-height spectra for Ms. using the 8"x4" NaI(T1) and the NaI(T1)-CsI(T1) detectors respectively. These spectra illustrate what was determined quantitatively, i.e., that there is 137Cs present (137Ba X ray in the low energy measurement) but no detectable isotopes of plutonium or americium.

In addition to external counting procedures we measured the urine samples for the presence of $^{1\,3\,7}\text{Cs}$ and $^{2\,3\,9}\text{Pu}$. Again the $^{2\,3\,9}\text{Pu}$ content was below our detection limit or 15 fCi at the 95% confidence limit for a 5000 minute count. Cesium-137 was excreted at the rate of 0.4 pCi/ml or based on a urinary excretion rate of 1 liter/day, 400 pCi/day. If we use this value, and a measured body burden of 45.2 nCi, we can estimate a biological half time of ∿ 78 days compared to the ICRP(10) effective half-life of 70 days.

For our own intercomparison, we would be interested in .ng out if our measurement of Ms. finding out if our measurement of Ms. burden agreed with that of Stan's. Perhaps he can let us know.

I hope this report has been of some help. Let us know when we can measure some natives.

Very truly yours,

Norman Cohen, Ph.D.

Assistant Professor Environmental Medicine

Mr. Henry Spitz

Dr. McDonald E. Wrenn

cc: Dr. Merril Eisenbud

bcc: Dr. Walter Weyzen

PRIVACY ACT MATERIAL REMOVED

NC/fl

TABLE 1

Name

Age - 25

Sex - Female

Height - 171.5 cm

Weight - 118.5 lbs

Chest Circumference - 70 cm

Sternum - Navel - 41 cm

Head Circumference (brow) - 57.5 cm

Head Circumference (chin) - 58.5 cm


Head Width (A.P.) - 19.5 cm

Head Width (ears) - 15 cm

Neck - 29.5 cm

Hair Description - Very long

PRIVACY ACT MATERIAL REMOVED



\$Lx 3244 LTx 3246

12855

1111

Date: 27 June, 1977

1/FT

ENERGY (keV)