

01 03
NO

PP

UUUU

0503352 JUL 77

CDR JTG ENEWETAK ATOLL MI/FCR

CDR FCDNA KIRTLAND AFB NM/FC

403576

UNCLAS

COL MIXAN SENDS FOR BG LACY

SUBJECT: MEDICAL AND EXPLOSIVE MATERIALS

1. DURING CLEAN OUT OF BUILDING 560 THE FOLLOWING ITEMS WERE
DISCOVERED:

A. 5 EA MILLISEC DELAY CAPS

18 EA ELECTRIC BLASTING CAPS

1 EA .410 GA SHOTGUN SHELL

725 FT TIME FUZE

34 NONELECTRIC BLASTING CAPS

8 EA FLARES, EMERGENCY SIGNAL

16 EA DETONATING CORD LEAD-INS

2 EA ELECTRIC BLASTING CAPS (100 FT HEADS)

200 FEET DETONATING CORD

B. FIRST AID KIT. CONTENTS INCLUDED A LARGE SUPPLY OF EQUIPMENT

AMONG WHICH INCLUDED:

1 ea 26 GAUGE NEEDLE

BEST COPY AVAILABLE

JOSEPH BRIGGS, MAJ, USA, PCRE, 6-2114

EDGAR J. MIXAN, COL, USA, FCR, 6-2100

READING FILE

02 03

UUUU

JUL 77

NO

- 1 ea 1CC SYRINGE
 - 2 EA VALIUM INJ 2CC AMPS
 - 1 EA SODIUM PHENOBARBITALING, 12 OMG. VIAL
 - 1 EA 5CC SYRINGE
 - 1 EA PKG COMPAZINE SUPPOSITORIES 25 MG
 - 4 EA 2~~4~~CC SYRINGES
 - 3 EA 5CC SYRINGES
 - 1 EA 10CC SYRINGES WITH NEEDLE
 - 1 EA 50CC SYRINGES
 - 4 EA 20 GAUGE NEEDLES
 - 5 EA ~~20~~²¹ GAUGE NEEDLES
 - 5 EA 18 GAUGE NEEDLES
2. THE MATERIALS LEFT IN BUILDING 560, WHICH IS SCHEDULED TO BE TURNED OVER TO DOI, WERE ITEMS UTILIZED BY HON AND OTHER CONTRACTING AGENCIES FOR MARINE AND EXPLOSIVE PROJECTS THAT TOOK PLACE SEVERAL YEARS AGO.
3. THE FIRST AID KIT WAS PROBABLY PUT TOGETHER BETWEEN 1967 AND 1971. MOST OF THE ITEMS IN THE ~~K~~^KIT HAD AN EXPIRATION DATE OF 1973. ~~THE~~ ~~ENTIRE~~ KIT HAS BEEN TURNED OVER TO THE HOSPITAL

03 03

PP

UUU

JUL 77

NO

FOR DISPOSITION. ALL EXPLOSIVE MATERIALS HAVE BEEN PROPERLY
SECURED AND WILL BE DESTROYED IN THE IMMEDIATE ^{FUTURE.} ~~FUTURE.~~ ALL
ELEMENT COMMANDERS WERE BRIEFED ON THIS INCIDENT AND THE NEED
TO CONTINUE VIGILANCE IN THIS AREA.

EDGAR J. MIXAN, COL, USA, PCR, 6-2100