

405469

SEP 10 10 54 '75

SEP 10 1975

02

PASO ROUTING SLIP			
	A	I	PLS. SEE ME
DIRECTOR <i>WS</i>			<input checked="" type="checkbox"/>
SECRETARY			
CLERK			
PROJECT ENGINEER <i>9/10</i>			
ADMINISTRATIVE OFF. <i>9/10</i>			<input checked="" type="checkbox"/>
PROJECT OFFICER			
PROGRAM ASSISTANT <i>9/10</i>			<input checked="" type="checkbox"/>
SEND COPY TO:			
H&N			
JA SITE REP.			
OTHER			
REMARKS:			

RATUZYUW RHEGNVO0025 2531620-UUUU--RUHHWIA.  
ZNR UUUUU

R 101612Z SEP 75

FM USERDA ROGER RAY ASST MGR FOR ENVIRONMENT AND SAFETY LAS VEGAS NV  
TO RUHGSAA/OSCAR DEBRUM DISTAD MARSHALLS MAJURO MI  
INFO RUHHWIA/USERDA PASO HONOLULU HI  
RHEGLLL/DR PAUL GUDIYSEN LLL LIVERMORE CA

AE

BT

UNCLASSIFIED/N O N W D/NARR

IN REVIEWING THE TAPE RECORDING OF OUR MEETING WITH MEMBERS OF THE CONGRESS AND OF THE NITIJELA AND OTHER BIKINI LEADERSHIP AT MAJURO ON SEPTEMBER 2, I FIND, AS WE DISCUSSED LATER, THAT I DID NOT SUGGEST ANY RESTRICTIONS ON ENYU GROUND WATER. BY THIS MESSAGE I MEAN TO FORMALLY CORRECT THAT RECORD. IN FACE, WE DO NOT AT THIS TIME HAVE SUFFICIENT INFORMATION TO PERMIT AN UNCONDITIONAL RELEASE OF ENYU GROUND WATER. BASED UPON SOIL LEVELS AT ENYU AND THE EXPECTED LOW LEVELS IN FOOD GROWN ON ENYU WE FULLY EXPECT THAT FROM A RADIATION STANDPOINT THERE WILL BE NO REASON TO RESTRICT OR LIMIT THE USE OF ENYU GROUND WATER.

**SUBJECT FILE**

REPOSITORY DOE/PASO  
 COLLECTION DOE/NV  
 BOX No. 1234  
 BIKINI - MISC. CORRESPONDENCE  
 FOLDER DOE/12075  
9/24-12/75

PAGE 2 RHEGNVO0025 UNCLASSIFIED/N O N W D/NARR  
HOWEVER, TO BE CONFIDENT THAT OUR RECOMMENDATION WILL STAND, WE MUST WITHHOLD A RELEASE UNTIL RESULTS OF LABORATORY ANALYSIS ARE AVAILABLE. I HAVE ASKED THAT THIS PART OF THE LABORATORY EFFORT BE GIVEN FIRST PRIORITY, AND EXPECT TO BE ABLE TO REPORT RESULTS TO YOU BY EARLY OCTOBER. WE ALSO EXPECT FROM TIME TO TIME TO TAKE ADDITIONAL WATER SAMPLES, ESPECIALLY AS NEW WELLS ARE OPENED. THIS CORRECTION WILL BE INCORPORATED IN THE TRANSCRIPT OF THE SEPTEMBER 2 MEETING, COPIES OF WHICH WILL BE MAILED TO YOU FOR DISTRIBUTION. END

BT

#0025